

Druckluftwerkzeuge | Druckluftmotoren

- To deburr casts and machined parts

Your contact person

Mr. Export Team✉ export@mannesmann-demag.com

Technical Data

Type	FRV 100
Article Nr.	60026946
Valve	-
Numb. of blows	9000 min ⁻¹
Frequency	150 Hz
Stroke length	8 mm
Exhaust air	-
Tool receptacle ø	4 6 mm
Tool retainer	Schraube
Noise level	77 dB(A)
Air consumption	1.1 ls
Weight without hose	1.00 kg
Diameter	39.00 mm
Length	165.0 mm
Connection thread	G 1/4" i
Accessories supplied	Wrench

All data related to 6.3 bar working pressure.
Subject to technical alterations.

Feiler
filing machine
lime

FRV 100
60026 94 6

MANNESMANN
DEMAG

Nr. No.	BENENNUNG	DESCRIPTION	DESIGNATION	Lager-Nr. Stock-No. No. de magasin	STÜCK QUTY.
1	Schraube	screw	vis	29800 03 6	1
2	Führung	guide	guidage	29800 02 6	1
3	Verschlusschraube	locking screw	bouchon	29800 04 6	1
4	Deckel	cover	couvercle	29800 01 6	1
5	Druckfeder	spring	ressort	29800 07 6	1
6	Druckfeder	spring	ressort	29800 06 6	1
7	Kolbenwelle	piston spindle	piston arbre	60006 36 3	1
8	Kolben	piston	piston	29800 09 6	1
9	Kolbenring	Piston ring	segment de piston	29800 10 6	1
10	Distanzring	distance ring	bague d'espacement	29800 11 6	1
11	Zylinder	cylinder	cylindre	29800 15 6	1
12	O-Ring	sealring	joint torique	29800 17 6	1
13	Dichtung	sealing	joint d' étanchéité	29800 19 6	1
14	Kugel	ball	bille	29800 14 6	1
15	Haltering	sealring	joint torique	29800 16 6	1
16	Gehäuse	housing	boîte	60026 97 6	1
18	Lufteinlass	air inlet	entrée d'air	60026 98 6	1
*	Schlüssel	Key	clé	29800 25 6	1

* Nicht gezeichnet

Not shown



